




**Spiral Wound gaskets (CALVO SEALING OR and OR/IR) SMA-04 and SMA-05
(EN 1514-2 / DIN 2690)**



PN 10


Nominal Pipe diameter (mm)	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)
10	46 x34x24x18	65	127x102x86x77	300	377x354x330x318
15	51x39x29x23	80	142x115x99x90	350	437x400x376x360
20	61x46x34x28	100	162x143x127x115	400	488x450x422x410
25	71x53x41x35	125	192x172x152x140	500	593x550x522x510
32	82x61x49x43	150	217x199x179x167	600	695x650x622x610
40	92x68x56x50	200	272x248x228x216		
50	107x86x70x61	250	327x303x279x267		

PN 25

Nominal Pipe diameter (mm)	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)
10	46 x34x24x18	65	127x102x86x77	300	400x354x330x318
15	51x39x29x23	80	142x115x99x90	350	457x400x376x360
20	61x46x34x28	100	168x143x127x115	400	514x450x422x410
25	71x53x41x35	125	194x172x152x140	500	624x550x522x510
32	82x61x49x43	150	224x199x179x167	600	731x650x622x610
40	92x68x56x50	200	284x248x228x216		
50	107x86x70x61	250	340x303x279x267		



**Spiral Wound gaskets (CALVO SEALING OR and OR/IR) SMA-04 and SMA-05
(EN 1514-2 / DIN 2690)**



PN40


Nominal Pipe diameter (mm)	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)
10	46 x34x24x18	65	127x102x86x77	300	417x354x330x318
15	51x39x29x23	80	142x115x99x90	350	474x400x376x360
20	61x46x34x28	100	168x143x127x115	400	546x450x422x410
25	71x53x41x35	125	194x172x152x140	500	628x550x522x510
32	82x61x49x43	150	224x199x179x167	600	747x650x622x610
40	92x68x56x50	200	290x248x228x216		
50	107x86x70x61	250	352x303x279x267		

PN63

Nominal Pipe diameter (mm)	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)
10	56 x34x24x18	100	174x147x120x108	400	543x456x426x414
15	61x39x28x22	125	210x176x146x134	500	657x556x530x518
25	82x53x40x34	150	247x203x174x162	600	764x656x630x618
40	103x68x54x48	200	309x252x225x213		
50	113x86x66x57	250	364x307x286x267		
65	137x106x82x73	300	424x358x337x318		
80	148x119x95x86	350	486x404x375x363		



**Spiral Wound gaskets (CALVO SEALING OR and OR/IR) SMA-04 and SMA-05
(EN 1514-2 / DIN 2690)**



PN100

Nominal Pipe diameter (mm)	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)
10	56 x34x24x18	100	180x147x120x108	400	572x456x426x414
15	61x39x28x22	125	217x176x146x134	500	704x556x530x518
25	82x53x40x34	150	257x203x174x162	600	813x656x630x618
40	103x68x54x48	200	324x252x225x213		
50	119x86x66x57	250	391x307x286x267		
65	143x106x82x73	300	458x358x337x318		
80	154x119x95x86	350	512x404x375x363		

PN160

Nominal Pipe diameter (mm)	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)	Nominal Pipe diameter	Dimensions (d4 d3 d2 d1)
10	56 x34x24x18	100	180x147x120x108		
15	61x39x28x22	125	217x176x146x134		
25	82x53x40x34	150	257x203x174x162		
40	103x68x54x48	200	324x252x225x213		
50	119x86x66x57	250	388x307x286x267		
65	143x106x82x73	300	458x358x337x318		
80	154x119x95x86				